Hewlett Packard
Enterprise

Sicherheit im eigenen Netzwerk

Wie kann es mit Hilfe von KI gelingen?

Dr. Łukasz Budzisz, Senior Presales Engineer
CWNE #572, ACX-NS, ACEX #98 (ACMX, ACCX, ACDX)

April 2025

Sicherheit

KOMPLEXITÄT REDUZIEREN

Komplexität erhöht die Fragilität der Infrastruktur. Sie wird anfälliger für Angriffe

Stand der Technik Security

NIS2, KRITIS & Co fordern Security nach dem **„Stand der Technik“** aufzubauen

XLAs statt SLAs

Verfügbarkeit ist eine Säule der Sicherheit. Wenn Applikationen nicht nutzbar sind, verlieren wir Geld.

KOMPLEXITÄT REDUZIEREN

IT-Grundschutz

**Frage: Wer hat das BSI Grundschutzkompendium gelesen?
(es sind über 850 Seiten...)**

BSI-Grundschutz Kompendium

10 Bausteine

ISMS

Sicherheitsmanagement

DER

Detektion und Reaktion

APP

Anwendungen

NET

Netze und Kommunikation

ORP

Organisation & Personal

CON

Konzeption & Vorgehensweise

OPS

Betrieb

IND

Industrielle IT

INF

Infrastruktur

SYS

IT-Systeme

BSI-Grundschutz Kompendium

Anforderung

Absicherung des Bootvorgangs

Authentisierung an Servern

Systemüberwachung und
Monitoring von Servern

Grundschutz Baustein

SYS.1.1
Allgemeiner Server

Lösung

Silicon Root of Trust

Compute Ops Management

HPE GreenLake Cloud

BSI-Grundschatz Kompendium

Anforderung

Netzsegmentierung der VDI-Komponenten

Absicherung eines SANs durch Segmentierung

Client-Server-Segmentierung

Grundschatz Baustein

SYS / NET
(Micro-)Segmentierung

Lösung

CX 10000 Switch
800Gbps Stateful
L4-Firewall (EW traffic)
Data Center Switch

48 x 1GbE/10GbE/25GbE - 6 x 40GbE/100GbE

BSI-Grundschutz Kompendium

Anforderung

Planung des IT-Betriebs unter besonderen Notsituationen

Grundschutz Baustein

OPS
Disaster Recovery

Lösung

Zerto

a Hewlett Packard
Enterprise company

Ransomware
Resilience

Disaster
Recovery

Continuous Data Protection
Any App, Any Data & Any Cloud

Aber jetzt kommen wir zur Infrastruktur...

Wie die Welt heute aussieht... (von Daniel Lorch)

Kunden

Herausforderungen

Wie gut ist das
WLAN?

Komplexe
Administration

Sicherheits –
Bedenken

1. Frage:
Wissen Sie zu 100%, was in Ihrem Netzwerk ist?

Wie alles begann...

Skalierung und Segmentierung bringt KOMPLEXITÄT

2. Frage:
Was darf jede IP-Adresse im Netzwerk tun?

Über VLANs zum Anwender

Erste personalisierte Firewall

Evolution der **Architektur** im Access

3. Frage:
Wie kann ich ein Regelwerk durch Policies im Netzwerk durchsetzen?

IT Infrastruktur ist komplex

Komplexität reduzieren

HPE GreenLake

Sicherheitsmechanismen an einem Ort

Sicherheitsziel:

Intellectual Property (IP) Daten müssen geschützt werden

IP-Daten müssen geschützt werden

Visibilität & Authentifizierung

Rolle
Engineer

Rolle
Techniker

Rolle
VoIP

Rolle
Robot

Zuweisung von Rechten

Rolle Engineer

HTTPS	→	IP-Daten	✓
Internet *	→	Je nach Policy	✓
Alles Andere			✗

Rolle Techniker

HTTPS, SSH	→	Rolle Robot	✓
Internet *	→	Je nach Policy	✓
Alles Andere			✗

Rolle Robot

HTTPS	→	Ind. Server	✓
SFTP	→	Firmware Upgrade	✓
Alles Andere			✗

Mikrosegmentierung

Dynamic Segmentation

Role	HTTPS, SSH	→	Rolle Robot	✓
Techniker	Internet	→	Nach Policy	✓
	All Traffic	→	All Destinations	✗

1. Wissen Sie zu 100%, was in Ihrem Netzwerk ist?
2. Was darf jede IP-Adresse im Netzwerk tun?
3. Wie kann ich ein Regelwerk durch Policies im Netzwerk durchsetzen?

Was brauche ich noch?

EDGE SERVICES PLATTFORM ARCHITEKTUR

HPE GreenLake as a Service
Central Cloud Management

Und wo ist die KI?

Umfangreiche, relevante und vielfältige Daten: Das Fundament der KI

Branchenführender Data Lake

Wie hilft ein Data Lake?

**UNCOVER INSIGHTS
AND TRENDS**

**RECEIVE
OPTIMIZATION
TIPS**

**POWER & CONSTANTLY
TRAIN AI/ML
MODELS**

¹HPE Aruba Networks Intros GenAI Trained On Networking Giant's Own 'Massive' Data Lake

EDGE SERVICES PLATFORM ARCHITEKTUR

HPE GreenLake as a Service
Central Cloud Management

KI im Einsatz

Demo

SITE Toronto (YYZI) - Branch

Network and connectivity information about this site.

Health

Device Type Health

- Access Points:** 4 (Poor)
- Switches:** 11 (Good)
- Gateways:** 2 (Good)
- Wireless:** 280 (Good)

Client Type Experience

- Wireless:** 280 (Good)

1 device is offline.
High Memory utilization on 3 devices.

Properties

Location
1875 Buckhorn Gate Mississauga, Ontario L4W 5N9
Canada

Time Zone
America/Toronto (UTC-05:00)

Usage

In depth analysis for **Toronto (YYZI) - Branch.**

IoT Policy Optimization Available

Build Zero Trust policies by only allowing required access

Today at 1:00 AM

Network Detection - Abnormal Data Upload

Clients in your network have recently uploaded abnormally large amounts of data

Yesterday at 8:00 PM

Network Detection - New Country Upload

Clients in your network have recently uploaded abnormally large amounts of data to a new...

Yesterday at 8:00 PM

Network Detection - Abnormal Data Upload

An 'Abnormal Upload' tag has dynamically been applied to the following IoT clients.

Name	MAC Address	WLAN	Vendor	Model/OS
Residence-CCTV	E8:27:25:45:04:C3	AnyCorpInc-SEA-PSK	Axis	Axis Camera
Residence-Control	08:00:21:3c:A8:23	AnyCorpInc-DFW-PSK	3M	3M Thermostat
Staff-VOIPO4111	00:0B:92:22:05:D1	AnyCorpInc-DFW-PSK	Ascom	Ascom Wireless Phone
Conference-Room-TV	E8.5B:5B:76.F9:11	AnyCorpInc-DFW-PSK	LG	LG TV

Network Detection - New Country Upload

An 'New Country Upload' tag has dynamically been applied to 'Residence-CCTV4'. This client uploaded **11.09 GB to Russia** on **February 23, 2025 12:30 PM**, compared with an average of **0 MB** uploaded daily during the past **30** days.

Behavior Mapping

Visualizes historical traffic and highlights anomalies.

Country Uploads

Records per-country activity once the baseline threshold is exceeded.

1 item

Source	Destination	Service /...	Action	Usage	Baseline
☒ Residence-CCTV4	russia	Any	-	11.09 GB	0 MB

Selection Results

The selected policies account for **100%** behavior coverage across all new country uploads.

OK

Network Detection - Abnormal Data Upload

An 'Abnormal Upload' tag has dynamically been applied to 'Residence-CCTV4'. This client uploaded **12.72 GB** to 4 destinations on **March 3, 2025 12:31 AM**, compared with an average of **45.69 MB** uploaded daily during the past **30** days.

Behavior Mapping

Visualizes historical traffic and highlights anomalies.

Actual Baseline

Data Uploads

Records upload activity once the baseline threshold is exceeded.

4 items

Source	Destination	Servic...	Action	Usage	Baseline
☒ Residence-CCTV4	10.213.11.3	Any	Log	4.88 GB	20.8 MB
☒ Residence-CCTV4	cabinetkignima.com	Any	Log	4.42 GB	14.7 MB
☐ Residence-CCTV4	10.213.11.21	TCP	Log	1.80 GB	10.2 GB
☒ Residence-CCTV4	10.211.20.3	TCP	Log	1.62 GB	0.0 GB

Selection Results

The selected policies account for **87%** behavior coverage across all abnormal Uploads.

OK

XLAs statt SLAs

Service Assurance: User eXperience Insight (UXI)

Finde den Sensor...!

↕ Experience

- 6E sensor
- APJ
- Laptop Agents
- Android Agents
- EMEA
- North America
- Android-PA
- BC:D0:74:5F:FB:5B

Services

- Wi-Fi
- Ethernet
- DHCP
- Gateway
- DNS
- Captive Portal

↕ Internal

- Aruba JIRA
- Cloud Printers
- HPE GreenLake Cloud
- IP Cameras
- Workday

↕ External

- 1Password
- AWS S3 instance
- Apple Store
- Aruba Central
- Box
- Dropbox
- Facebook
- Google
- Google Docs
- Google Mail

Guest 6E

Testing 4 networks

Last 30 days

- uxi_captive_portal
- uxi_corp
- uxi_psk
- Untagged Ethernet

STATUS

STATUS Good

EVENTS 1 Ongoing 144 Resolved last 30 days

ONGOING

1 Unable to resolve hostname 1 service >

RESOLVED

106 Low download throughput 1 service +

28 External service is unavailable 1 service +

6 High DHCP response time +

1 Web application test failed 1 service >

1 Web application test failed to complete 1 service >

1 High DNS lookup time >

1 Power outage detected >

ABOUT

Model	IP Config
UX-G6EC	DHCP
Sensor Serial	DHCP Server
CNQXLP05G	192.168.1.1
Gateway	Wi-Fi MAC Address

WI-FI

SIGNAL STRENGTH (RSSI) -28.5 dBm

Expand 1

RECEIVE BITRATE 1.08 Gbps

Expand 1

FRAME RETRY RATE 0.29 %

CHANNEL UTILIZATION 30.6 %

Expand 3

BSSID dc:b7:ac:41:6d:14 AP Name: test for divya

BAND 5 GHz

CHANNEL 36

CLIENT COUNT 3

AP ASSOCIATION TIME 0.2 s

kabelloses WLAN

STATUS

STATUS Error

EVENTS 2 Ongoing 165 Resolved last 30 days

ONGOING

2 Internal service is unavailable 2 services +

RESOLVED

- 109 High DNS lookup time +
- 5 Internal service is unavailable 1 service +
- 2 Gateway is unreachable +
- 1 HTTP timeout 1 service >
- 1 Power outage detected >
- 46 High DNS lookup time +
- 1 High DHCP response time >

ACTIONS

RAW DATA DOWNLOAD Download Data

PACKET CAPTURE Request PCAP File

WI-FI

SIGNAL STRENGTH (RSSI) -27.9 dBm

RECEIVE BITRATE 402.06 Mbps

Expand 1

FRAME RETRY RATE 0.01 %

CHANNEL UTILIZATION 5.8 %

BSSID f0:5c:19:1e:09:80

BAND 5 GHz

CHANNEL 100

QBSS AVAILABLE ADMISSION CAPACITY 99 %

Expand 2

AP ASSOCIATION TIME 0.1 s

All Groups

6E sensor

Dataset Sort & Filter Grouping

Find and Select

Groups

6E sensor

Sensors & Agents

Selected All

Destinations

Selected All

Period

2025-04-02, 09:00

2025-04-02, 10:00

Showing 25 paths

< 1 2 >

Timeline

<< < Wed, Apr 2 09:00 - Wed, Apr 2 10:00 > >>

Interval: 1 hr

EDGE SERVICES PLATTFORM ARCHITEKTUR

HPE GreenLake as a Service
Central Cloud Management

Zusammenfassung

ü HPE Green Lake, eine Plattform, um die gesamte IT-Infrastruktur im Griff zu haben

ü BSI-konforme ‚Stand der Technik‘ IT-Infrastruktur mit HPE bauen

ü Sicherheit erhöhen und Kosten senken im Data Center

ü HPE Aruba Central, mehr Sicherheit im Netzwerk

ü 360° Applikationsvisibilität

Vielen Dank!

lukasz@hpe.com